

Data

Wrangling

Wrangling

Munging

Janitor Work

Manipulation

Transformation

50-80%

of your time?


Two goals

- 1** Make data suitable to use with a particular piece of software
- 2** Reveal information

**Data sets
come in many
formats**

...but R prefers just one.

EDAWR



An R package with all of the data sets that we will use today.

```
# install.packages("devtools")  
# devtools::install_github("rstudio/EDAWR")
```

```
library(EDAWR)
```

```
?storms
```

```
?cases
```

```
?pollution
```

```
?tb
```

tbl's

Just like data frames, but play better with the console window.

```
Source: local data frame [53,940 x 10]
  carat  cut  color clarity depth table
1  0.23  Ideal  E     SI2   61.5   55
2  0.21  Premium E     SI1   59.8   61
3  0.23  Good   E     VS1   56.9   65
4  0.29  Premium I     VS2   62.4   58
5  0.31  Good   J     SI2   63.3   58
6  0.24  Very Good J     VVS2  62.8   57
7  0.24  Very Good I     VVS1  62.3   57
8  0.26  Very Good H     SI1   61.9   55
9  0.22  Fair   E     VS2   65.1   61
10 0.23  Very Good H     VS1   59.4   61
..   ..   ..   ..   ..   ..   ..
Variables not shown: price (int), x (dbl), y
                      (dbl), z (dbl)
```

tbl

```
975  62.0  2893  6.02  6.04  3.61
976  55.0  2893  6.00  5.93  3.78
977  59.0  2893  6.09  6.06  3.64
978  57.0  2894  5.91  5.99  3.71
979  57.0  2894  5.96  6.00  3.72
980  56.0  2894  5.88  5.92  3.62
981  56.0  2895  5.75  5.78  3.51
982  59.0  2895  5.66  5.76  3.53
983  53.0  2895  5.71  5.75  3.56
```

```
986  63.0  2896  6.00  6.05  3.51
987  56.0  2896  5.18  5.24  3.21
988  56.0  2896  5.91  5.96  3.65
989  55.0  2896  5.82  5.86  3.59
990  56.0  2896  5.83  5.89  3.64
991  58.0  2896  5.94  5.88  3.60
992  57.0  2896  6.39  6.35  4.02
993  57.0  2896  6.46  6.45  3.97
994  57.0  2897  5.48  5.51  3.33
995  58.0  2897  5.91  5.85  3.59
996  52.0  2897  5.30  5.34  3.26
997  55.0  2897  5.69  5.74  3.57
998  61.0  2897  5.82  5.89  3.48
999  58.0  2897  5.81  5.77  3.58
1000 59.0  2898  6.68  6.61  4.03
```

```
[ reached getOption("max.print") --
omitted 52940 rows ]
```

data.frame

```
# devtools::install_github("rstudio/EDAWR")
library(EDAWR)
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21

cases

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

pollution

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

```
# devtools::install_github("rstudio/EDAWR")
library(EDAWR)
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ama	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arnold	45	1010	1996-06-21

cases

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

pollution

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

- Storm name


```
# devtools::install_github("rstudio/EDAWR")
library(EDAWR)
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ava	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arnold	45	1010	1996-06-21

cases

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

pollution

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

- Storm name
- Wind Speed (mph)

```
# devtools::install_github("rstudio/EDAWR")
library(EDAWR)
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ava	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arnold	45	1010	1996-06-21

cases

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

pollution

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

- Storm name
- Wind Speed (mph)
- Air Pressure

```
# devtools::install_github("rstudio/EDAWR")
library(EDAWR)
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ava	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arnold	45	1010	1996-06-21

cases

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

pollution

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

- Storm name
- Wind Speed (mph)
- Air Pressure
- Date

```
# devtools::install_github("rstudio/EDAWR")
library(EDAWR)
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ava	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arnold	45	1010	1996-06-21

cases

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

pollution

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

- Storm name
- Wind Speed (mph)
- Air Pressure
- Date

- Country

```
# devtools::install_github("rstudio/EDAWR")
library(EDAWR)
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ava	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arnold	45	1010	1996-06-21

- Storm name
- Wind Speed (mph)
- Air Pressure
- Date

cases

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

- Country
- Year

pollution

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

```
# devtools::install_github("rstudio/EDAWR")
library(EDAWR)
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ava	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arnold	45	1010	1996-06-21

- Storm name
- Wind Speed (mph)
- Air Pressure
- Date

cases

Country	Year	Count
FR	2012	7000
DE	2012	6000
US	2012	13000

- Country
- Year
- Count

pollution

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56


```
# devtools::install_github("rstudio/EDAWR")
library(EDAWR)
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ava	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arnold	45	1010	1996-06-21

- Storm name
- Wind Speed (mph)
- Air Pressure
- Date

cases

Country	Year	Count
FR	2012	7000
DE	2012	6000
US	2012	13000

- Country
- Year
- Count

pollution

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

- City

```
# devtools::install_github("rstudio/EDAWR")
library(EDAWR)
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ava	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arnold	45	1010	1996-06-21

- Storm name
- Wind Speed (mph)
- Air Pressure
- Date

cases

Country	Year	Count
FR	2012	7000
DE	2012	6000
US	2012	13000

- Country
- Year
- Count

pollution

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

- City
- Amount of large particles


```
# devtools::install_github("rstudio/EDAWR")
library(EDAWR)
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ava	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arnold	45	1010	1996-06-21

- Storm name
- Wind Speed (mph)
- Air Pressure
- Date

cases

Country	Year	Count
FR	2012	7000
DE	2012	6000
US	2012	13000

- Country
- Year
- Count

pollution

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

- City
- Amount of large particles
- Amount of small particles

```
# devtools::install_github("rstudio/EDAWR")
library(EDAWR)
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ava	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arnur	45	1010	1996-06-21

```
storms$storm
storms$wind
storms$pressure
storms$date
```

cases

Country	cases	cases	cases
FR	7000	6900	7000
DE	800	6000	6200
US	15000	12000	13000

```
cases$country
names(cases)[-1]
unlist(cases[1:3, 2:4])
```

pollution

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56


```
pollution$city[1,3,5]
pollution$amount[1,3,5]
pollution$amount[2,4,6]
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21

$$\text{ratio} = \frac{\text{pressure}}{\text{wind}}$$

`storms$pressure / storms$wind`



Tidy data

storms

storm	wind	pressure	date
Alberto	110	1007	2000-07-12
Alex	45	1009	1998-07-30
Amson	65	1005	1995-07-04
Ava	40	1013	1997-07-01
Annie	30	1010	1999-07-13
Arhur	45	1010	1996-07-21

1

Each **variable** is saved in its own **column**.

2

Each **observation** is saved in its own **row**.

3

Each "type" of observation stored in a **single table** (here, storms).

Recap: Tidy data

123

Variables in columns, observations in rows,
each type in a table




Easy to access variables



Automatically preserves observations

tidyr

tidyr



A package that reshapes the layout of tables.

Two main functions: **gather()** and **spread()**

```
# install.packages("tidyr")
```

```
library(tidyr)
```

```
?gather
```

```
?spread
```

Your Turn

Imagine how this data would look if it were tidy with three variables: *country*, *year*, *n*

cases

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	n
---------	------	---

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	n
FR	2011	7000

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	n
FR	2011	7000
DE	2011	5800

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	n
FR	2011	7000
DE	2011	5800
US	2011	15000

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	n
FR	2011	7000
DE	2011	5800
US	2011	15000
FR	2012	6900

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	n
FR	2011	7000
DE	2011	5800
US	2011	15000
FR	2012	6900
DE	2012	6000

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	n
FR	2011	7000
DE	2011	5800
US	2011	15000
FR	2012	6900
DE	2012	6000
US	2012	14000

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	n
FR	2011	7000
DE	2011	5800
US	2011	15000
FR	2012	6900
DE	2012	6000
US	2012	14000
FR	2013	7000

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	n
FR	2011	7000
DE	2011	5800
US	2011	15000
FR	2012	6900
DE	2012	6000
US	2012	14000
FR	2013	7000
DE	2013	6200


Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	n
FR	2011	7000
DE	2011	5800
US	2011	15000
FR	2012	6900
DE	2012	6000
US	2012	14000
FR	2013	7000
DE	2013	6200
US	2013	13000

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	Revenue
FR	2011	7000
DE	2011	5800
US	2011	15000
FR	2012	6900
DE	2012	6000
US	2012	14000
FR	2013	7000
DE	2013	6200
US	2013	13000

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000



Country	Year	n
FR	2011	7000
DE	2011	5800
US	2011	15000
FR	2012	6900
DE	2012	6000
US	2012	14000
FR	2013	7000
DE	2013	6200
US	2013	13000

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	n
FR	2011	7000
DE	2011	5800
US	2011	15000
FR	2012	6900
DE	2012	6000
US	2012	14000
FR	2013	7000
DE	2013	6200
US	2013	13000

key (former column names)

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	n
FR	2011	7000
DE	2011	5800
US	2011	15000
FR	2012	6900
DE	2012	6000
US	2012	14000
FR	2013	7000
DE	2013	6200
US	2013	13000

key **value** (former cells)

Country	2011	2012	2013
FR	7000	6900	7000
DE	5800	6000	6200
US	15000	14000	13000

Country	Year	n
FR	2011	7000
DE	2011	5800
US	2011	15000
FR	2012	6900
DE	2012	6000
US	2012	14000
FR	2013	7000
DE	2013	6200
US	2013	13000

gather()

Collapses multiple columns into two columns:

1. a **key** column that contains the former column names
2. a **value** column that contains the former column cells

```
gather(cases, "year", "n", 2:4)
```

gather()

Collapses multiple columns into two columns:

1. a **key** column that contains the former column names
2. a **value** column that contains the former column cells

```
gather(cases, "year", "n", 2:4)
```

data frame
to reshape

gather()

Collapses multiple columns into two columns:

1. a **key** column that contains the former column names
2. a **value** column that contains the former column cells

```
gather(cases, "year", "n", 2:4)
```

data frame
to reshape

name of the new
key column
(a character string)

gather()

Collapses multiple columns into two columns:

1. a **key** column that contains the former column names
2. a **value** column that contains the former column cells

```
gather(cases, "year", "n", 2:4)
```

data frame
to reshape

name of the new
key column
(a character string)

name of the new
value column
(a character string)

gather()

Collapses multiple columns into two columns:

1. a **key** column that contains the former column names
2. a **value** column that contains the former column cells

```
gather(cases, "year", "n", 2:4)
```


data frame
to reshape

name of the new
key column
(a character string)

name of the new
value column
(a character string)

names or numeric
indexes of columns
to collapse

```
## country 2011 2012 2013
## 1      FR  7000  6900  7000
## 2      DE  5800  6000  6200
## 3      US 15000 14000 13000
```



```
## country year      n
## 1      FR 2011  7000
## 2      DE 2011  5800
## 3      US 2011 15000
## 4      FR 2012  6900
## 5      DE 2012  6000
## 6      US 2012 14000
## 7      FR 2013  7000
## 8      DE 2013  6200
## 9      US 2013 13000
```

```
gather(cases, "year", "n", 2:4)
```

Your Turn

Imagine how the pollution data set would look tidy with three variables: *city*, *large*, *small*

pollution

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

city	large	small
------	-------	-------

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

city	large	small
New York	23	

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

city	large	small
New York	23	14

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

city	large	small
New York	23	14
London	22	

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

city	large	small
New York	23	14
London	22	16

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

city	large	small
New York	23	14
London	22	16
Beijing	121	

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

city	large	small
New York	23	14
London	22	16
Beijing	121	56

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

city	large	small
New York	23	14
London	22	16
Beijing	121	56

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



city	large	small
New York	23	14
London	22	16
Beijing	121	56

key (new column names)

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

city	large	small
New York	23	14
London	22	16
Beijing	121	56

key **value** (new cells)

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

city	large	small
New York	23	14
London	22	16
Beijing	121	56

spread()

Generates multiple columns from two columns:

1. each unique value in the **key** column becomes a column name
2. each value in the **value** column becomes a cell in the new columns

```
spread(pollution, size, amount)
```

spread()

Generates multiple columns from two columns:

1. each unique value in the **key** column becomes a column name
2. each value in the **value** column becomes a cell in the new columns

```
spread(pollution, size, amount)
```

data frame
to reshape

spread()

Generates multiple columns from two columns:

1. each unique value in the **key** column becomes a column name
2. each value in the **value** column becomes a cell in the new columns

```
spread(pollution, size, amount)
```

data frame
to reshape

column to use for
keys (new columns
names)

spread()

Generates multiple columns from two columns:

1. each unique value in the **key** column becomes a column name
2. each value in the **value** column becomes a cell in the new columns


`spread(pollution, size, amount)`

data frame
to reshape

column to use for
keys (new columns
names)

column to use for
values (new
column cells)

```
##      city size amount
## 1 New York large    23
## 2 New York small   14
## 3  London large    22
## 4  London small   16
## 5 Beijing large  121
## 6 Beijing small   56
```



```
##      city large small
## 1 Beijing  121    56
## 2 London   22    16
## 3 New York 23    14
```

```
spread(pollution, size, amount)
```


city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



city	large	small
New York	23	14
London	22	16
Beijing	121	56

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



city	large	small
New York	23	14
London	22	16
Beijing	121	56

unite() and separate()

There are three more variables hidden in storms:

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21

- Year
- Month
- Day


separate()

Separate splits a column by a character string separator.

```
separate(storms, date, c("year", "month", "day"), sep = "-")
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21



storms2

storm	wind	pressure	year	month	day
Alberto	110	1007	2000	08	12
Alex	45	1009	1998	07	30
Allison	65	1005	1995	06	04
Ana	40	1013	1997	07	1
Arlene	50	1010	1999	06	13
Arthur	45	1010	1996	06	21

unite()

Unite unites columns into a single column.

```
unite(storms2, "date", year, month, day, sep = "-")
```

storms2


storm	wind	pressure	year	month	day
Alberto	110	1007	2000	08	12
Alex	45	1009	1998	07	30
Allison	65	1005	1995	06	04
Ana	40	1013	1997	07	1
Arlene	50	1010	1999	06	13
Arthur	45	1010	1996	06	21




storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21


Recap: tidyr




A package that reshapes the layout of data sets.



Make observations from variables with `gather()`




Make variables from observations with `spread()`



Split and merge columns with `unite()` and `separate()`

**Data sets contain
more information
than they display**

dplyr



A package that helps transform tabular data.

```
# install.packages("dplyr")
```

```
library(dplyr)
```

```
?select
```

```
?filter
```


```
?arrange
```

```
?mutate
```

```
?summarise
```

```
?group_by
```


nycflights13



Data sets related to flights that departed from NYC in 2013

```
# install.packages("nycflights13")
```

```
library(nycflights13)
```

```
?airlines
```

```
?planes
```

```
?airports
```

```
?weather
```

```
?flights
```


Ways to access information

- 1** **Extract** existing variables. `select()`
- 2** **Extract** existing observations. `filter()`
- 3** **Derive** new variables
(from existing variables) `mutate()`
- 4** **Change** the unit of analysis `summarise()`

select()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21




storm	pressure
Alberto	1007
Alex	1009
Allison	1005
Ana	1013
Arlene	1010
Arthur	1010

```
select(storms, storm, pressure)
```

select()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21



wind	pressure	date
110	1007	2000-08-12
45	1009	1998-07-30
65	1005	1995-06-04
40	1013	1997-07-01
50	1010	1999-06-13
45	1010	1996-06-21


```
select(storms, -storm)
```

```
# see ?select for more
```

select()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21



wind	pressure	date
110	1007	2000-08-12
45	1009	1998-07-30
65	1005	1995-06-04
40	1013	1997-07-01
50	1010	1999-06-13
45	1010	1996-06-21

```
select(storms, wind:date)
```

```
# see ?select for more
```

Useful select functions


* Blue functions come in dplyr

-	Select everything but
:	Select range
contains()	Select columns whose name contains a character string
ends_with()	Select columns whose name ends with a string
everything()	Select every column
matches()	Select columns whose name matches a regular expression
num_range()	Select columns named x1, x2, x3, x4, x5
one_of()	Select columns whose names are in a group of names
starts_with()	Select columns whose name starts with a character string

filter()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21



storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Allison	65	1005	1995-06-04
Arlene	50	1010	1999-06-13

`filter(storms, wind >= 50)`

filter()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21



storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Allison	65	1005	1995-06-04

```
filter(storms, wind >= 50,  
       storm %in% c("Alberto", "Alex", "Allison"))
```


logical tests in R

?Comparison


?base::Logic

<	Less than
>	Greater than
==	Equal to
<=	Less than or equal to
>=	Greater than or equal to
!=	Not equal to
%in%	Group membership
is.na	Is NA
!is.na	Is not NA

&	boolean and
	boolean or
xor	exactly or
!	not
any	any true
all	all true

mutate()

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21




storm	wind	pressure	date	ratio
Alberto	110	1007	2000-08-12	9,15
Alex	45	1009	1998-07-30	22,42
Allison	65	1005	1995-06-04	15,46
Ana	40	1013	1997-07-01	25,32
Arlene	50	1010	1999-06-13	20,20
Arthur	45	1010	1996-06-21	22,44

```
mutate(storms, ratio = pressure / wind)
```

mutate()

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21



storm	wind	pressure	date	ratio	inverse
Alberto	110	1007	2000-08-12	9,15	0,11
Alex	45	1009	1998-07-30	22,42	0,04
Allison	65	1005	1995-06-04	15,46	0,06
Ana	40	1013	1997-07-01	25,32	0,04
Arlene	50	1010	1999-06-13	20,20	0,05
Arthur	45	1010	1996-06-21	22,44	0,04

```
mutate(storms, ratio = pressure / wind, inverse = ratio^-1)
```

Useful mutate functions


* All take a vector of values and return a vector of values

** Blue functions come in dplyr

<code>pmin(), pmax()</code>	Element-wise min and max
<code>cummin(), cummax()</code>	Cumulative min and max
<code>cumsum(), cumprod()</code>	Cumulative sum and product
<code>between()</code>	Are values between a and b?
<code>cume_dist()</code>	Cumulative distribution of values
<code>cumall(), cumany()</code>	Cumulative all and any
<code>cummean()</code>	Cumulative mean
<code>lead(), lag()</code>	Copy with values one position
<code>ntile()</code>	Bin vector into n buckets
<code>dense_rank(), min_rank(), percent_rank(), row_number()</code>	Various ranking methods

"Window" functions

* All take a vector of values and return a vector of values



summarise()

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



median	variance
22,5	1731,6

```
pollution %>% summarise(median = median(amount), variance = var(amount))
```

summarise()

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



mean	sum	n
42	252	6

```
pollution %>% summarise(mean = mean(amount), sum = sum(amount), n = n())
```

Useful summary functions


* All take a vector of values and return a single value

** Blue functions come in dplyr

min(), max()	Minimum and maximum values
mean()	Mean value
median()	Median value
sum()	Sum of values
var, sd()	Variance and standard deviation of a vector
first()	First value in a vector
last()	Last value in a vector
nth()	Nth value in a vector
n()	The number of values in a vector
n_distinct()	The number of distinct values in a vector

"Summary" functions


* All take a vector of values and return a single value



arrange()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21




storm	wind	pressure	date
Ana	40	1013	1997-07-01
Alex	45	1009	1998-07-30
Arthur	45	1010	1996-06-21
Arlene	50	1010	1999-06-13
Allison	65	1005	1995-06-04
Alberto	110	1007	2000-08-12

arrange(storms, wind)

arrange()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21



storm	wind	pressure	date
Ana	40	1013	1997-07-01
Alex	45	1009	1998-07-30
Arthur	45	1010	1996-06-21
Arlene	50	1010	1999-06-13
Allison	65	1005	1995-06-04
Alberto	110	1007	2000-08-12

`arrange(storms, wind)`

arrange()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21




storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Allison	65	1005	1995-06-04
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21
Alex	45	1009	1998-07-30
Ana	40	1013	1997-07-01

`arrange(storms, desc(wind))`

arrange()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21




storm	wind	pressure	date
Ana	40	1013	1997-07-01
Alex	45	1009	1998-07-30
Arthur	45	1010	1996-06-21
Arlene	50	1010	1999-06-13
Allison	65	1005	1995-06-04
Alberto	110	1007	2000-08-12

`arrange(storms, wind)`


arrange()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21



storm	wind	pressure	date
Ana	40	1013	1997-07-01
Arthur	45	1010	1996-06-21
Alex	45	1009	1998-07-30
Arlene	50	1010	1999-06-13
Allison	65	1005	1995-06-04
Alberto	110	1007	2000-08-12



`arrange(storms, wind, date)`

The pipe operator

%>%

```
library(dplyr)
select(tb, child:elderly)
tb %>% select(child:elderly)
```




tb

select(_____, child:elderly)

select()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21




storm	pressure
Alberto	1007
Alex	1009
Allison	1005
Ana	1013
Arlene	1010
Arthur	1010

```
select(storms, storm, pressure)
```


select()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21




storm	pressure
Alberto	1007
Alex	1009
Allison	1005
Ana	1013
Arlene	1010
Arthur	1010

```
storms %>% select(storm, pressure)
```

filter()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21




storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Allison	65	1005	1995-06-04
Arlene	50	1010	1999-06-13

```
filter(storms, wind >= 50)
```

filter()

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21



storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Allison	65	1005	1995-06-04
Arlene	50	1010	1999-06-13

```
storms %>% filter(wind >= 50)
```

storms

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21



storm	pressure
Alberto	1007
Allison	1005
Arlene	1010


```
storms %>%
```

```
  filter(wind >= 50) %>%
```

```
  select(storm, pressure)
```

mutate()

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21




storms %>%

```
mutate(ratio = pressure / wind) %>%  
select(storm, ratio)
```

mutate()

storm	wind	pressure	date
Alberto	110	1007	2000-08-12
Alex	45	1009	1998-07-30
Allison	65	1005	1995-06-04
Ana	40	1013	1997-07-01
Arlene	50	1010	1999-06-13
Arthur	45	1010	1996-06-21



storm	ratio
Alberto	9,15
Alex	22,42
Allison	15,46
Ana	25,32
Arlene	20,20
Arthur	22,44

storms %>%

```
mutate(ratio = pressure / wind) %>%  
select(storm, ratio)
```

Unit of analysis

city	particle size	amount (m ³)
New York	large	100
New York	small	100
London	large	100
London	small	100
Beijing	large	100
Beijing	small	100

mean	std	var
100	100	100

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56


mean	sum	n
42	252	6

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14



mean	sum	n
18,5	37	2

London	large	22
London	small	16



19,0	38	2
------	----	---

Beijing	large	121
Beijing	small	56




88,5	177	2
------	-----	---

`group_by()` + `summarise()`

group_by()

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

```
pollution %>% group_by(city)
```


```
pollution %>% group_by(city)
## Source: local data frame [6 x 3]
## Groups: city
##
##      city  size amount
## 1 New York large    23
## 2 New York small   14
## 3 London  large    22
## 4 London  small   16
## 5 Beijing large   121
## 6 Beijing small    56
```

group_by() + summarise()

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56


```
pollution %>% group_by(city) %>%  
  summarise(mean = mean(amount), sum = sum(amount), n = n())
```

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14




city	mean	sum	n
New York	18,5	37	2

London	large	22
London	small	16



London	19,0	38	2
--------	------	----	---

Beijing	large	121
Beijing	small	56



Beijing	88,5	177	2
---------	------	-----	---

```
pollution %>% group_by(city) %>%
  summarise(mean = mean(amount), sum = sum(amount), n = n())
```

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14

London	large	22
London	small	16

Beijing	large	121
Beijing	small	56

city	mean	sum	n
New York	18,5	37	2

city	mean	sum	n
New York	18,5	37	2
London	19,0	38	2
Beijing	88,5	177	2

Beijing	88,5	177	2
---------	------	-----	---

```
pollution %>% group_by(city) %>%
  summarise(mean = mean(amount), sum = sum(amount), n = n())
```

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14

London	large	22
London	small	16

Beijing	large	121
Beijing	small	56

city	mean	sum	n
New York	18,5	37	2
London	19,0	38	2
Beijing	88,5	177	2

```
pollution %>% group_by(city) %>%
  summarise(mean = mean(amount), sum = sum(amount), n = n())
```


city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14

London	large	22
London	small	16

Beijing	large	121
Beijing	small	56

city	mean	sum	n
New York	18,5	37	2
London	19,0	38	2
Beijing	88,5	177	2

```
pollution %>% group_by(city) %>%
  summarise(mean = mean(amount), sum = sum(amount), n = n())
```

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



city	mean
New York	18,5
London	19,0
Beijing	88,5

```
pollution %>% group_by(city) %>% summarise(mean = mean(amount))
```

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



size	mean
large	55,3
small	28,6

```
pollution %>% group_by(size) %>% summarise(mean = mean(amount))
```

ungroup()


city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56


`pollution %>% ungroup()`

country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3



tb


country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3




country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3

```
tb %>%  
  group_by(country, year)
```

country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3



country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3




country	year	cases
Afghanistan	1999	2
Afghanistan	2000	2
Brazil	1999	4
Brazil	2000	4
China	1999	6
China	1999	6


tb %>%

```
group_by(country, year) %>%
  summarise(cases = sum(cases))
```


country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3



country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3



country	year	cases
Afghanistan	1999	2
Afghanistan	2000	2
Brazil	1999	4
Brazil	2000	4
China	1999	6
China	1999	6



country	cases
Afghanistan	4
Brazil	8
China	12

tb %>%

```
group_by(country, year) %>%
  summarise(cases = sum(cases)) %>%
  summarise(cases = sum(cases))
```


Hierarchy of information

country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3

country	year	cases
Afghanistan	1999	2
Afghanistan	2000	2
Brazil	1999	4
Brazil	2000	4
China	1999	6
China	2000	6


country	cases
Afghanistan	4
Brazil	8
China	12

cases
24


Larger units of analysis




Recap: Information




Extract variables and observations with **select()** and **filter()**



Arrange observations, with **arrange()**.



Make new variables, with **mutate()**.



Make groupies observations with **group_by()** and **summarise()**.

Joining data

dplyr::bind_cols()

y

x1	x2
A	1
B	2
C	3

+

z

x1	x2
B	2
C	3
D	4

=

x1	x2	x1	x2
A	1	B	2
B	2	C	3
C	3	D	4

`bind_cols(y, z)`

dplyr::bind_rows()

y

x1	x2
A	1
B	2
C	3

+

z

x1	x2
B	2
C	3
D	4

=

x1	x2
A	1
B	2
C	3
B	2
C	3
D	4

`bind_rows(y, z)`

dplyr::union()

y

x1	x2
A	1
B	2
C	3

+

z

x1	x2
B	2
C	3
D	4

=

x1	x2
A	1
B	2
C	3
D	4

union(y, z)

dplyr::intersect()

y

x1	x2
A	1
B	2
C	3

+

z

x1	x2
B	2
C	3
D	4

=

x1	x2
B	2
C	3

`intersect(y, z)`

dplyr::setdiff()

y

x1	x2
A	1
B	2
C	3

+

z

x1	x2
B	2
C	3
D	4

=

x1	x2
A	1
D	4

setdiff(y, z)

dplyr::left_join()

songs

song	name
Across the Universe	John
Come Together	John
Hello, Goodbye	Paul
Peggy Sue	Buddy

+

artists

name	plays
George	sitar
John	guitar
Paul	bass
Ringo	drums

=

song	name	plays
Across the Universe	John	guitar
Come Together	John	guitar
Hello, Goodbye	Paul	bass
Peggy Sue	Buddy	<NA>

```
left_join(songs, artists, by = "name")
```

dplyr::left_join()

songs

song	name
Across the Universe	John
Come Together	John
Hello, Goodbye	Paul
Peggy Sue	Buddy

+

artists

name	plays
George	sitar
John	guitar
Paul	bass
Ringo	drums

=

song	name	plays
Across the Universe	John	guitar
Come Together	John	guitar
Hello, Goodbye	Paul	bass
Peggy Sue	Buddy	<NA>

```
left_join(songs, artists, by = "name")
```

dplyr::left_join()

songs2

song	first	last
Across the Universe	John	Lennon
Come Together	John	Lennon
Hello, Goodbye	Paul	McCartney
Peggy Sue	Buddy	Holly

+

artists2

first	last	plays
George	Harrison	sitar
John	Lennon	guitar
Paul	McCartney	bass
Ringo	Starr	drums
Paul	Simon	guitar
John	Coltrane	sax

=

song	first	last	plays
Across the Universe	John	Lennon	guitar
Come Together	John	Lennon	guitar
Hello, Goodbye	Paul	McCartney	bass
Peggy Sue	Buddy	Holly	<NA>

```
left_join(songs2, artists2, by = c("first", "last"))
```

dplyr::left_join()

songs2

song	first	last
Across the Universe	John	Lennon
Come Together	John	Lennon
Hello, Goodbye	Paul	McCartney
Peggy Sue	Buddy	Holly

+

artists2

first	last	plays
George	Harrison	sitar
John	Lennon	guitar
Paul	McCartney	bass
Ringo	Starr	drums
Paul	Simon	guitar
John	Coltrane	sax

=

song	first	last	plays
Across the Universe	John	Lennon	guitar
Come Together	John	Lennon	guitar
Hello, Goodbye	Paul	McCartney	bass
Peggy Sue	Buddy	Holly	<NA>

```
left_join(songs2, artists2, by = c("first", "last"))
```

left_join()

songs

song	name
Across the Universe	John
Come Together	John
Hello, Goodbye	Paul
Peggy Sue	Buddy

+

artists

name	plays
George	sitar
John	guitar
Paul	bass
Ringo	drums

=

song	name	plays
Across the Universe	John	guitar
Come Together	John	guitar
Hello, Goodbye	Paul	bass
Peggy Sue	Buddy	<NA>

```
left_join(songs, artists, by = "name")
```

inner_join()

songs

song	name
Across the Universe	John
Come Together	John
Hello, Goodbye	Paul
Peggy Sue	Buddy

artists

name	plays
George	sitar
John	guitar
Paul	bass
Ringo	drums

+

=

song	name	plays
Across the Universe	John	guitar
Come Together	John	guitar
Hello, Goodbye	Paul	bass

```
inner_join(songs, artists, by = "name")
```

semi_join()

songs

song	name
Across the Universe	John
Come Together	John
Hello, Goodbye	Paul
Peggy Sue	Buddy

artists

name	plays
George	sitar
John	guitar
Paul	bass
Ringo	drums

+

=

song	name
Across the Universe	John
Come Together	John
Hello, Goodbye	Paul

```
semi_join(songs, artists, by = "name")
```

anti_join()

songs

song	name
Across the Universe	John
Come Together	John
Hello, Goodbye	Paul
Peggy Sue	Buddy

+

artists


name	plays
George	sitar
John	guitar
Paul	bass
Ringo	drums

=


song	name
Peggy Sue	Buddy

```
anti_join(songs, artists, by = "name")
```



Recap: Best format for analysis



Variables in columns



Observations in rows



Separate **all variables** *implied by law, formula or goal*



Unit of analysis matches the unit of analysis *implied by law, formula or goal*



Single table